

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	("3378838" "3500400" "5519400" "5576627" "5657022" "5682164" "5764162" "5778317" "5809059" "5901172" "6026125" "6191724" "6239741" "6340139").PN.	USPAT	OR	OFF	2005/08/01 09:58
L2	0	'time' adj1 domain adj1 downconversion adj2 radar	USPAT	OR	OFF	2005/08/01 09:58
L3	2	'time' adj1 domain adj1 downconversion adj2 radar	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/01 09:58
L4	0	("2005/0104765").URPN.	USPAT	OR	OFF	2005/08/01 09:58
L5	8986	varactor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/01 10:02

Advanced Search: INSPEC - 1969 to date (INZZ)


[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	uwb OR ultra ADJ wideband OR impulse ADJ radar	unrestricted	3082	show titles
2	INZZ	uwb OR ultra ADJ wideband OR impulse ADJ radar	unrestricted	3082	show titles
3	INZZ	varactor	unrestricted	2621	show titles
4	INZZ	1 AND 3	unrestricted	3	show titles

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)

Enter your search term(s): [Search tips](#) ☐ Thesaurus mapping



Information added since: or: 

(YYYYMMDD)

[search](#)

Select special search terms from the following list(s):

- ☒ Publication year
- ☒ Classification codes A: Physics, 0-1
- ☒ Classification codes A: Physics, 2-3
- ☒ Classification codes A: Physics, 4-5
- ☒ Classification codes A: Physics, 6
- ☒ Classification codes A: Physics, 7
- ☒ Classification codes A: Physics, 8
- ☒ Classification codes A: Physics, 9
- ☒ Classification codes B: Electrical & Electronics, 0-5
- ☒ Classification codes B: Electrical & Electronics, 6-9
- ☒ Classification codes C: Computer & Control
- ☒ Classification codes D: Information Technology
- ☒ Classification codes E: Manufacturing & Production
- ☒ Treatment codes
- ☒ INSPEC sub-file
- ☒ Language of publication
- ☒ Publication types

Titles

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the bottom of the page. To view one particular document click the link above the title to display immediately.

Documents 1 to 3 of 3 from your search "(uwb OR ultra ADJ wideband OR impulse ADJ radar) AND (varactor)" in all the available information:

Number of titles selected from other pages: 0

☒ **Select All**

☒ 1 [display full document](#)

1991. (INZZ) A millimeter-wave, third-harmonic, Gunn VCO with **ultra-wideband** tuning.

☒ 2 [display full document](#)

1990. (INZZ) Advances in microwave and MM-wave oscillator and VCO technology challenge system designers' creativity: **ultra-wideband**, second-harmonic, MM-wave, lumped-element, Gunn VCOs.

☒ 3 [display full document](#)

1990. (INZZ) Voltage controlled oscillator in 18-40 GHz frequency band.

Selection	Display Format	Output Format	ERA SM Electronic Redistribution & Archiving	Action
<input checked="" type="radio"/> from this page <input type="radio"/> from all pages	<input checked="" type="radio"/> Full <input type="radio"/> Free <input type="radio"/> Short <input type="radio"/> Medium <input type="radio"/> Custom Help with Formats	<input type="radio"/> HTML <input type="radio"/> Tagged (for tables) <input checked="" type="radio"/> PDF <input type="radio"/> RTF	Copies you will redistribute: <input type="text"/> Employees who will access archived record (s): <input type="text"/> Help with ERA	<input type="button" value="display"/> <input type="button" value="save"/> <input type="button" value="print preview"/>
				<input type="button" value="order"/>
Sort your entire search result by <input type="text" value="Publication year"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Ascending <input checked="" type="checkbox"/>				<input type="button" value="sort"/>

DataStarWeb

Documents



Table of Contents

INSPEC – 1969 to date (INZZ).....1

 A millimeter-wave, third-harmonic, Gunn VCO with ultra-wideband tuning.....1

 Advances in microwave and MM-wave oscillator and VCO technology challenge system
 designers' creativity: ultra-wideband, second- harmonic, MM-wave, lumped-element, Gunn
 VCOs.....2

 Voltage controlled oscillator in 18–40 GHz frequency band.....2

A millimeter-wave, third-harmonic, Gunn VCO with *ultra-wideband* tuning.

Accession number & update

4081898, B9203-1350F-040; 920128.

Author(s)

Cohen-L-D.

Author affiliation

AIL Syst Inc, Melville, NY, USA.

Source

1991 IEEE MTT-S International Microwave Symposium Digest (91CH2870-4), Boston, MA, USA, 10-14 June 1991, p.937-8 vol.3.

Sponsors: IEEE.

Published: IEEE, New York, NY, USA, 1991, 3 vol. (v+xxxvii+xxxvii +1370) pp.

ISSN

ISBN: 0-87942-591-1, CCCC: CH2870-4/91/0000-0937 (\$01.00).

Publication year

1991.

Language

EN.

Publication type

CPP Conference Paper.

Treatment codes

P Practical; X Experimental.

Abstract

State-of-the-art *ultra-wideband* tuning (69 to 91 GHz) has been demonstrated with a third-harmonic, *varactor-tuned*, GaAs Gunn oscillator. The 22 GHz wide tuning band was obtained by tuning the voltage-controlled oscillator (VCO) at the fundamental frequency and using the in-situ generated Gunn-diode third harmonic for output. Lumped-element VCO circuit refinements have resulted in the frequency extension of the use of lumped-element VCO circuit technology to 91 GHz in W-band (WR-10) from the previously reported maximum frequency of 66 GHz in V-band (WR-15). (6 refs).

Descriptors

Gunn-oscillators; tuning; variable-frequency-oscillators.

Keywords

mm waves; Gunn VCO; *ultra wideband* tuning; voltage controlled oscillator; in situ generated Gunn diode third harmonic; lumped element VCO circuit technology; 69 to 91 GHz; 22 GHz; GaAs.

Classification codes

B1350F (Solid-state circuits and devices).

B1230B (Oscillators).

Chemical indexing

GaAs int, As int, Ga int, GaAs bin, As bin, Ga bin.

Numerical indexing

bandwidth: 2.2E+10 Hz;

frequency: 6.9E+10 to 9.1E+10 Hz.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK

Advances in microwave and MM-wave oscillator and VCO technology challenge system designers' creativity: *ultra-wideband*, second-harmonic, MM-wave, lumped-element, Gunn VCOs.

USPTO Full Text Retrieval Options

Accession number & update

3806094, B91008541; 910100.

Author(s)

Cohen-L-D; Sard-E.

Author affiliation

AIL Syst Inc, Melville, NY, USA.

Source

Microwave-Journal (USA), vol.33, no.10, p.121-2, 124, 126, Oct. 1990.

CODEN

MCWJAD.

ISSN

ISSN: 0026-2897.

Publication year

1990.

Language

EN.

Publication type

J Journal Paper.

Treatment codes

P Practical.

Abstract

The development and performance of a state-of-the-art MM-wave *ultra-wideband* Gunn VCO has been described. The VCO is *varactor* tuned at the fundamental frequency and output is obtained from the in-situ generated Gunn diode second-harmonic frequency. Inherently, broadband tuning capability is provided by the use of a lumped-element circuit layout, reactively terminating the *varactor* tuned fundamental oscillation band, and the use of the in-situ generated Gunn second-harmonic frequency signal as output. The capability of a second-harmonic, lumped-element, Gunn VCO to provide full waveguide band tuning in the U band (40 to 60 GHz) is presented. Analytical projection indicates that a full W-band 75 to 110 GHz, VCO is feasible. (2 refs).

Descriptors

Gunn-oscillators; harmonic-oscillators-circuits; tuning; varactors; variable-frequency-oscillators.

Keywords

microwave oscillator; EHF; VFO; millimetre wave operation; MM wave oscillator; VCO technology; *ultra wideband* Gunn VCO; *varactor* tuned; Gunn diode; second harmonic frequency; broadband tuning capability; lumped element circuit layout; U band; 40 to 60 GHz; 20 GHz.

Classification codes

B1350F (Solid-state circuits and devices).

B1230B (Oscillators).

Numerical indexing

bandwidth: 2.0E+10 Hz;

frequency: 4.0E+10 to 6.0E+10 Hz.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK

Voltage controlled oscillator in 18–40 GHz frequency band.

USPTO Full Text Retrieval Options

Accession number & update

3707771, B90060292; 900000.

Author(s)

Camiade-M; Savary-P.

Author affiliation

Thomson Composants Microondes/DMH, Orsay, France.

Source

Annales-des-Telecommunications (France), vol.45, no.5-6, p.315-20, May-June 1990.

CODEN

ANTEAU.

ISSN

ISSN: 0003-4347.

Publication year

1990.

Language

FR.

Publication type

J Journal Paper.

Treatment codes

P Practical; X Experimental.

Abstract

Describes the design, analysis and experimental results of 18-26 GHz fundamental and 26-40 GHz doubler voltage controlled oscillator. They use field effect transistors and hyperabrupt GaAs *varactor* diodes. The interest of such circuits are a good integration, a high speed frequency tuning capability and a high frequency of oscillation allowing to achieve *ultra wideband* VCO by frequency transposition at lower frequencies. (4 refs).

Descriptors

variable-frequency-oscillators; voltage-multipliers.

Keywords

SHF; EHF; frequency band; doubler voltage controlled oscillator; field effect transistors; *varactor* diodes; high speed frequency tuning; *ultra wideband* VCO; frequency transposition; 18 to 40 GHz; 26 to 40 GHz; GaAs.

Classification codes

B1230B (Oscillators).

Chemical indexing

GaAs int, As int, Ga int, GaAs bin, As bin, Ga bin.

Numerical indexing

frequency: 1.8E+10 to 4.0E+10 Hz, 2.6E+10 to 4.0E+10 Hz.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK